BEAN

Round - Borlotti	2
Broad	3
Round - Butter	4
Flat - European	5
Flat Green - (Various)	
Round - Purple	7
Green (Various)	8
Various	
Snake	10

PRODUCE: BEAN
TYPE: Round
VARIETY: Borlotti
CLASS: One

	GENERAL APPEARANCE CRITERIA
COLOUR	Cream to pale yellow pod with reddish purple spots; cream seeds with light red / purple markings.
VISUAL APPEARANCE	Smooth, brightly coloured skin; moderately well developed seeds; free from foreign matter.
SENSORY	Firm pod which snaps easily when bent; tender flesh and seeds; free from foreign odours or tastes.
SHAPE	Medium length pod, oval in cross section; no deformed or misshapen beans. (crooked, curly, twisted beans).
SIZE	140 - 180 mm pod length; approx. 10 - 15 mm diameter; as per requirements
MATURITY	With seeds beginning to show through the pod, seeds to be light coloured, not dark, hard or woody (overmature).
	MAJOR DEFECTS
INSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With evidence of russet brown marking)
	With yellowed skin (senescent, ethylene damage).
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
INJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST DAMAGE	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL DISORDERS	With empty pods >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4-7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications reviev	vable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN
TYPE: Broad
VARIETY: Various
CLASS: One

CLASS:	One
	GENERAL APPEARANCE CRITERIA
COLOUR	Mid green pod; light green to whitish flesh; green, buff, red or purple seeds depending on variety.
VISUAL APPEARANCE	Firm bean with thick, slightly leathery skin; soft, fibrous flesh; large, firm seeds which virtually fill the pod; free from foreign matter.
SENSORY	Crisp bean pod which snaps reasonably easily when bent; tender seeds with strong, distinctive flavour; free from foreign and 'off' smells or tastes.
SHAPE	Long thickened pods round to oval in cross section; flat, oval to kidney shaped seeds.
SIZE	As pre-ordered per requirements.
MATURITY	With pod slightly swollen around seeds; seeds tender and light coloured, not fibrous or woody (overmature).
	MAJOR DEFECTS
INSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With evidence of russet brown marking)
	With yellowed skin (senescent, ethylene damage).
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
INJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST DAMAGE	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL DISORDERS	With empty pods >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4-7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications rev	viewable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN TYPE: Round VARIETY: Butter CLASS: One

	GENERAL APPEARANCE CRITERIA
COLOUR	Pale to creamy yellow pod and flesh.
VISUAL APPEARANCE	Plump, well formed pods, oval to round in cross section, small immature seeds inside pods; free from foreign matter.
SENSORY	Firm, crisp and juicy pods that snap easily when bent; mildly sweet flavour; no evidence of stringiness; free from foreign odours and tastes.
SHAPE	Straight, long pods; no deformed or misshapen beans (crooked, curly, or twisted).
SIZE	110 - 150 mm length; 6 - 12 mm diameter; as per requirements.
MATURITY	Well formed, full bodied pods slightly bulging around seeds; not woody or fibrous or with > 50% seed definition (overmature).
	MAJOR DEFECTS
INSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With evidence of russet brown marking)
	With yellowed skin (senescent, ethylene damage).
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
INJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST DAMAGE	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL	With broken or damaged tips affecting >5% consignment.
DISORDERS	With empty pods affecting >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4-7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications reviev	wable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN TYPE: Flat

VARIETY: European OTHER NAMES: Romano

COLOUR	Mid green skin and flesh; pale green seeds.
VISUAL	Plump, well formed pods, small immature seeds inside pods; free from foreign matter.
APPEARANCE	Tump, wen for men pous, small immuture seeds insule pous, free from foreign matter.
SENSORY	Firm, crisp pods that snap easily when bent; sweet and juicy flavour; no evidence of stringiness; free from foreign odours and tastes.
SHAPE	Flat to slightly oval pods in cross section; long and straight; no deformed or misshapen beans (crooked, curly, twisted beans).
SIZE	Pod length 150 - 200 mm; width 15 - 20 mm; as per requirements.
MATURITY	With pod bulging very slightly around seeds; seeds small, tender, light coloured, not dark/tough.
	MAJOR DEFECTS
INSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With evidence of russet brown marking)
	With yellowed skin (senescent, ethylene damage).
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
INJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
DAMAGE	
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL DISORDERS	With broken or damaged tips affecting >5% consignment.
DISORDERS	With empty pods affecting >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4-7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications revie	ewable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN TYPE: Flat

VARIETY: Green (Various)

OTHER NAMES: Ramano

COLOUR	M:110-111-
VISUAL	Mid green skin and flesh; pale green seeds.
APPEARANCE	Plump, well formed pods, small immature seeds inside pods; free from foreign matter.
SENSORY	Firm, crisp and juicy pods that snap easily when bent; slightly sweet flavour; no evidence of stringiness; free from foreign odours and tastes.
SHAPE	Flat to slightly oval pods in cross section; long and straight; no deformed or misshapen beans (crooked, curly, twisted beans).
SIZE	Pod length 120 - 180 mm; as per requirements.
MATURITY	With pod bulging very slightly around seeds; seeds small, tender, light coloured, not dark or tough.
	MAJOR DEFECTS
NSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With evidence of russet brown marking)
	With yellowed skin (senescent, ethylene damage).
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
NJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST DAMAGE	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL DISORDERS	With broken or damaged tips affecting >5% consignment.
DISONDERS	With empty pods affecting >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4-7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications revie	wable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN TYPE: Round VARIETY: Purple

OTHER NAMES: King Romano

	GENERAL APPEARANCE CRITERIA
COLOUR	Dark purple skin and flesh; pale seeds.
VISUAL APPEARANCE	Plump, well formed pods, oval to round in cross section, small immature seeds inside pods. Free from foreign matter.
SENSORY	Firm, crisp and juicy pods that snap easily when bent; no evidence of stringiness; free from foreign odours and tastes.
SHAPE	Straight, long pods; no deformed or misshapen beans (crooked, curly, or twisted).
SIZE	110 - 150 mm length; 5 - 10 mm diameter; as per requirements.
MATURITY	Well formed, full bodied pods; seeds tender, not woody or fibrous (overmature).
	MAJOR DEFECTS
NSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With evidence of russet brown marking)
	With yellowed skin (senescent, ethylene damage).
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
NJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
DAMAGE	mun rubs, neuteu insect damage (sears) affecting > 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL DISORDERS	With broken or damaged tips affecting >5% consignment.
	With empty pods affecting >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4 - 7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications revie	ewable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN TYPE: Round

VARIETY: Green (Various)
OTHER NAMES: French Bean

	GENERAL APPEARANCE CRITERIA
COLOUR	Mid green skin and flesh; pale green seeds.
VISUAL APPEARANCE	Plump, well formed pods, oval to round in cross section, small immature seeds inside pods. Free from foreign matter.
SENSORY	Firm, crisp and juicy pods that snap easily when bent; no evidence of stringiness; free from foreign odours and tastes.
SHAPE	Straight, long pods; no deformed or misshapen beans (crooked, curly, or twisted).
SIZE	110 - 150 mm length; 6 - 12 mm diameter; as per requirements.
MATURITY	Well formed, full bodied pods; not woody or fibrous or with > 50% seed definition (overmature).
	MAJOR DEFECTS
INSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With yellowed skin (senescent, ethylene damage).
	With evidence of russet brown marking)
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
INJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST DAMAGE	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL DISORDERS	With broken or damaged tips affecting >5% consignment.
	With empty pods affecting >5% of consignment
TOLERANCE PER CONSIGNMENT	CONSIGNMENT CRITERIA Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4-7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications revie	wable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN TYPE: N/A

VARIETY: Various OTHER NAMES: Runner

	GENERAL APPEARANCE CRITERIA
COLOUR	Light to mid green skin and flesh; pale green seeds.
VISUAL APPEARANCE	Plump, well formed pods, oval to round in cross section, small immature seeds inside pods. Free from foreign matter.
SENSORY	Firm, crisp and juicy pods that snap easily when bent;; free from foreign odours and tastes.
SHAPE	Straight, long pods; no deformed or misshapen beans (crooked, curly, or twisted).
SIZE	140-200 mm length; 6 - 12 mm diameter; as per requirements.
MATURITY	Well formed, full bodied pods; not woody or with > 50% seed definition (overmature).
	MAJOR DEFECTS
INSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With poor development of seeds within pods (undermature or poor pollination).
DISORDER	With yellowed skin (senescent, ethylene damage).
	With evidence of russet brown marking)
	With discolouration of the seed attachment scars (overmature)
TEMPERATURE	With surface pitting, watersoaked lesions in skin, or slimy texture (chilling injury).
INJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST DAMAGE	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL	With broken or damaged tips affecting >5% consignment.
DISORDERS	With empty pods affecting >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2% of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4-7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications revie	ewable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

PRODUCE: BEAN TYPE: N/A VARIETY: Snake

OTHER NAMES: Chinese Bean, Yard Long Bean, Asparagus Bean

	GENERAL APPEARANCE CRITERIA
COLOUR	Mid to dark green pod, green flesh.
VISUAL APPEARANCE	Very long, round, stringed pods; soft, semi-developed seeds; free from foreign matter.
SENSORY	Crisp bean with good flavour; free from foreign and 'off' smells or tastes.
SHAPE	Straight or very slightly curved pods; no deformed or misshapen beans (curly, twisted).
SIZE	Pod length 300 - 350mm, minimum 10 beans per bunch
MATURITY	Very slight bulging around small seeds, seeds not large or dark (overmature).
	MAJOR DEFECTS
INSECTS	With obvious live insects.
DISEASES	With fungal diseases or soft rots (eg Anthracnose, bacterial spot, Sclerotinia rot).
	With disfigured, mottled or discoloured pods (virus infection)
PHYSICAL / PEST	With holes due to feeding by insect larvae.
DAMAGE	With crushed areas, deep bruises or unhealed splits in the bean skin.
	With soft, wilted, shrivelled pods which bend without breaking (dehydration)
PHYSIOLOGICAL	With over development of seeds within pods (overmature).
DISORDER	With evidence of russet brown marking)
	With yellowed skin (senescent, ethylene damage).
TEMPERATURE	With surface pitting, watersoaked lesions in flesh, or slimy texture (chilling injury).
INJURY	With soft, watersoaked flesh (freezing damage).
	MINOR DEFECTS
PHYSICAL / PEST	With rubs, healed insect damage (scars) affecting > 1 sq cm surface area.
DAMAGE	want twosy neutral misseet damage (seems) appearing x 1 sq cm surface area.
SKIN MARKS / BLEMISHES	With slight bruising or scuffing not affecting > 1 sq cm surface area.
PHYSIOLOGICAL	With broken or damaged tips affecting >5% consignment.
DISORDERS	With empty pods affecting >5% of consignment
	CONSIGNMENT CRITERIA
TOLERANCE PER CONSIGNMENT	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2% of consignment. Combined Total not to exceed 10%.
PACKAGING & LABELLING	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and minimum net weight. Produce to identify 'Packed On' date (eg. Pkd DD/MM/YY) and Country of Origin (eg. Produce of Australia) on outer container.
SHELF LIFE	Produce must provide not less than 14 days clear shelf life from date of receival.
RECEIVAL CONDITIONS	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 4 - 7°C
CHEMICAL & CONTAMINANT RESIDUES	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's.
FOOD SAFETY REQUIREMENTS	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver. Produce that meets the above specifications but is not grown under a HACCP based food safety program must not be labelled Class 1.
Specifications revie	ewable: eg. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.